






Interactive Whiteboard TR3DJ (86" / 75" / 65")

Bringing People Together

Across platforms, regardless of the learning space this LG whiteboard brings us together.

The TR3DJ interactive whiteboard provides a versatile platform that allows teachers to leverage the learning management system or cloud drive of their choice. Display, annotate and share content from a wide variety of sources.











TR3DJ SERIES

Wireless Screen Mirroring from / to Devices

- Two Way Communication
- Up to 6 Devices on Display - Direct Sharing Annotation & Files



Professional Annotation Tool

- Writing on any Sources

Compatible with Various Operating Systems

 Android, iOS, Windows, Chrome, Mac

Embedded Android 8.0 OS

- Free Embedded Applications
- Note, Web Browser,
 Screen Share Pro

Excellent Writing Experience

Note Software Embedded
 Minimal Touchscreen
 Gap with direct bonding

TR3DJ SERIES FEATURES



4K Resolution (UHD) Anti-glare / Tempered Glass



In-Class Quizzes & Surveys Are Easy



Over the Air OS Updates



20 Point Multi Touch



Screen Mirroring



o o Rolling Cart Capable



Minimal Air Gap



Integrated Speaker and Wi-Fi Module



Energy Efficient (EU ErP Compliant)



SMOOTH TOUCH & WRITING EXPERIENCE




Multi Touch

The TR3DJ series can simultaneously use up to 20 points of multi touch. This function offers a lifelike board touch experiencesupports low parallax, the TR3DJ series can offer precise touch and makes collaboration much easier. Group work, whether in classrooms, huddle spaces or global seminar spaces can be enhanced using the TR3DJ from LG.




Enhanced Visibility with Low Parallax

With 1mm gap between the screen and tempered glass, which and excellent writing experience.



Dual Pen & Dual Color

The stylus pen comes in two different colors and with two different tip sizes of 3mm and 8mm. The dual pens enable users sources, so your writing experience can be easy and satisfying. to write or draw simultaneously.



Easy Writing Experience

The TR3DJ seriesallows you to write and annotate on all




EASY CONNECTION & SHARING



Air Class

Air Class supports connecting up to 30 students and offers interactive meetings for mobile devices on the same network, project texts. Air Class is easily accessible from the TR3DJ's main toolbar.



Built-in OPS Slot

The TR3DJ series supports OPS slots, allowing you to easily and conveniently mount an OPS device at the back of the digital board providing a variety of tools such as voting, answering, and sharing vithout the hassle of connecting to an external desktop, offering you more expanded functions.



ScreenShare Pro

ScreenShare Pro enables you to show up to six shared screens or a file on a screen in real-time, and it has enhanced usability by such as a speaker, mouse, keyboard and others. In addition, a the same network without any additional application.



Connectivity Options

TR3DJ supports Bluetooth wireless connections to various devices allowing users to share Chromecast and Apple device mirroring owariety of wired connection options includes HDMI (x3), Analog RGB, RS232 and USB in.



USER FRIENDLY EXPERIENCE





Built-in Web Browser

Toolbar

The TR3DJ series supports an embedded Android web browser, so the Toolbar allows you to easily find and run the tool they need. you can search the web easily and quickly, without connecting to The annotation feature works on virtually all file types, and you can an external tablet or computer. highlight the section you wish to emphasize using the Spotlight function. The countdown and stopwatch features help you manage class time effectively.



Audio Experience

The TR3DJ series supports built-in speakers in both sides of experience.



USB Block


USB Block Mode is a security measure that helps prevent data the front bezel which deliver high-quality sound and clear audio from being copied to unauthorized devices which is essential for spaces where security is critical.


^{*} All images are intended to help you understand, and there may be some differences in practical use.




DIMENSIONS


86"







75"





65"







	MODEL	86TR3DJ	75TR3DJ	65TR3DJ
	Screen Size	86"	75*	65*
	Panel Technology	IPS	IPS	IPS
	Back Light Type	Direct	Direct	Direct
	Aspect Ratio	16:9	16:9	16:9
	Native Resolution	3840 x 2160 (UHD)	3840 x 2160 (UHD)	3840 x 2160 (UHD)
PANEL	Refresh Rate	60Hz	60Hz	60Hz
	Brightness (Typ)	350 nits	350 nits	350 nits
	Contrast Ratio	1200:1	1200:1	1200:1
	Color gamut	NTSC 68%	NTSC 68%	NTSC 68%
	Viewing Angle (H x V)	178° X 178°	178° X 178°	178° X 178°
	Color Depth	10bit, 1.07Billion colors	10bit, 1.07Billion colors	10bit, 1.07Billion colors
	Response Time	8ms (G to G)	8ms (G to G) Anti Glare 7H(Mohs)	8ms (G to G)
	Surface Treatment(Haze) Lifetime Operation	Anti Glare, 7H(Mohs) 30,000 Hrs	30.000 Hrs	Anti Glare, 7H(Mohs) 30 000 Hrs
	Operation Hours			
	(Hours/Day)	16/7	16/7	16/7
	Portrait / Landscape	Landscape Only	Landscape Only	Landscape Only
	Available object size for	≥3 mm	≥3 mm	≥3 mm
	touch			
	Reponse Time	≤60 ms (Android)	≤60 ms (Android)	≤60 ms (Android)
		≤100 ms (Windows) ±2 mm	≤100 ms (Windows)	≤100 ms (Windows) ±2 mm
	Accuracy Interface	±2 mm USB 2.0	±2 mm USB 2.0	±2 mm USB 2.0
TOUCH	Protection Glass Thicknes	205.125	4T (Anti-Glare)	4T (Anti-Glare)
	Protection Glass Tricknes Protection Glass Trans			
	mission	87%	87%	87%
	Operating System Suppo	Windows XP/7/8/10, Linux, Mac, Andro t (Windows XP/Linux/Mac support one		old/indows XP/7/8/10, Linux, Mac, / e (Windows XP/Linux/Mac suppor
	the state of the s	point touch)	point touch)	point touch)
	Multi touch point	Max 20 Points	Max 20 Points	Max 20 Points
OUND	Built-in Speakers	10W x 2	10W x 2	10W x 2
	HDMI In	Yes (3), HDCP2.2/1.4	Yes (3), HDCP2.2/1.4	Yes (3), HDCP2.2/1.4
	Analog RGB In	Yes (1)	Yes (1)	Yes (1)
CONNECTIVITY	Audio In	Yes (1)	Yes (1)	Yes (1)
	RS232C In	Yes (1)	Yes (1)	Yes (1)
SHIPE TIVE T	RJ45 (LAN)	Yes (1) USB3.0 Type A(3)	Yes (1) USB3.0 Type A(3)	Yes (1) USB3.0 Type A(3)
	USB In	USB2.0 Type A(3)	USB2.0 Type A(3)	USB2.0 Type A(3)
	Audio Out	Optical (1)	Optical (1)	Optical (1)
	Touch USB Out	Yes (2)	Yes (2)	Yes (2)
	Bezel Color	Black	Black	Black
	Bezel Width	18.9 / 18.9 / 18.9 / 45.7 mm	18.9 / 18.9 / 18.9 / 45.7 mm	18.9 / 18.9 / 18.9 / 45.7 mm
	Weight	148.7 lbs / 67.5 kg	117.1 lbs / 53.1 kg	85.4 lbs / 38.8 kg
	Shipping Weight	190.9 lbs / 86.6 kg	154.0 lbs / 69.9 kg	106.9 lbs / 48.5 kg
MECHANICAL.	Monitor Dimension	77.0 x 45.7 x 3.4 in	67.3 x 40.2 x 3.4 in	58.6 x 35.3 x 3.4 in
	(WxHxD)	1957 × 1160 × 87 mm	1710 × 1020 × 87 mm	1489 × 897 × 87 mm
	Carton Dimensions	83.1 x 50.5 x 11.0 in	73.2 x 44.9 x 11.0 in	64.1 x 39.6 x 8.2 in
	(W x H x D) (Box outer size	The state of the s	1860 × 1140 × 280 mm	1628 × 1005 × 208 mm
	Handle	Yes	Yes	Yes
	Stand VESA™ Standard Mount	No	No	No
	VESA'" Standard Mount Interface	800 x 600mm	800 x 400mm	600 x 400mm
	Operation Temperature	32° to 104" F / 0" to 40" C	32" to 104" F / 0" to 40" C	32° to 104" F / 0° to 40" C
	Operation Humidity	10% to 80%	10% to 80%	10% to 80%
	OPS type compatible	Yes (Slot)	Yes (Slot)	Yes (Slot)
	OPS Power built in	Yes	Yes	Yes
	Internal Memory	16 GB	16 GB	16 GB
	Built-in Wi-Fi	Yes (Removable)	Yes	Yes
	Power Indicator	Yes	Yes	Yes
FEATURES	Local Key Operation	Yes	Yes	Yes
	Fanless Design	Yes	Yes	Yes
	Android Version	Android 8.0	Android 8.0	Android 8.0
POWER	Screen Share	Yes (Screenshare pro)	Yes (Screenshare pro)	Yes (Screenshare pro)
	Power Supply	100-240 Vac, 50/60 Hz	100-240 Vac, 50/60 Hz	100-240 Vac, 50/60 Hz
	Power Type	Built-In Power	Built-In Power	Built-In Power
	Power Consumption (Typ		260W	180W
	Power Consumption (Ma)		350W	300W
"WARRANTY & OTHER"	Power Consumption (Off)		Less than 0.5W	Less than 0.5W
	Warranty FCC (Regulatory)	3 Year Limited Class "A"	3 Year Limited Class "A"	3 Year Limited Class 'A'
	CE (Regulatory)	Class A Yes	Class A Yes	Yes
	ErP (Environmental)	Yes	Yes	Yes
	Basic Accessories	Power Cord (3m), USB Cable (5m), HDM Cable (3m), Writing Pen (x2), User Man	Yes MPower Cord (3m), USB Cable (5m), HDI n Cable (3m), Writing Pen (x2), User Mar ol ual, Quick Start Guide, Remote Contr (batteries incl.), Wi-Fi module	MPower Cord (3m), USB Cable (5m) Cable (3m), Writing Pen (x2), User



CONNECTIVITY

Side Front Bottom TOUCH OUT 2 USB 2.0 O HDMIIN 1 O SPDIF TUO OIGUA **Q** USB 3.0 O VGA O HDMIIN 2 RS-232C IN 1 LAN

AUDIO IN

HOMI

● TOUCH OUT 1

O HDMIIN 3

